

Chemical instruction & risk assessment

Risk categories	Without controls	With controls
Flammable	S1	S1
Corrosive	H4	H3
Skin	H4	НЗ
Ingestion/Oral	H3	НЗ
Environment	El	E

PPE and Controls





















540101 EPOXY IMPREGNATION PRIMER - Activator **Product Name**

Tor Coatings Limited Manufacturer Name

Evaluated Substitution

User of the substance Persons at risk

Liquid Substance form

How should the substance be used?

in thin layers on top of epoxy

How should the substance be disposed of?

P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. The information in this section contains generic advice and guidance.

Storage requirements

P405 - Store locked up.

Restriction on use of substance

N/A



Hazards pictograms







Hazard statements

H314 - Causes severe skin burns and eye damage. H317 - May cause an allergic skin reaction. H410 - Very toxic to aquatic life with long lasting effects. P280 - Wear protective gloves, protective clothing and eye or face protection. P273 - Avoid release to the environment. P391 - Collect spillage. P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. P303 + P361 + P353, P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. P305 + P351 + P338, P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Hazards and controls



Flammable





Controls in place



No open flame; Fire, open ignition source and smoking prohibited



Corrosive

H4 Very Hazardous



Controls in place



Wear eye protection



Skin

H4 Very Hazardous



H3 Medium

Controls in place



Wear light to heavy chemical resistant gloves



Wear heavy duty PVC Apron



Do Not Leave Waste





Approved Date: 2023-03-04

