

Sådan holder du vores bibliotek for sikkerhedsdatablade opdateret

Hvordan får jeg en advarsel om nye revisioner af sikkerhedsdatablader, og hvordan opgraderer jeg til den nyeste version?

Nyere revisioner af sikkerhedsdatablader udstedes hvert 1. til 3. år.

Nyere revisioner udstedes på grund af nye lovgivningskrav, rettelser eller nye opdagelser fra leverandørerne. Brugere af kemikalier er forpligtet til at have den nyeste version af sikkerhedsdatabladet i deres bibliotek.

SDS Manager crawler løbende tusindvis af leverandørers websites for nye revisioner af sikkerhedsdatablader og tilføjer dem til vores database.

Når du bruger SDS Manager, vil du blive advaret, når vi finder nye versioner af sikkerhedsdatablader i dit bibliotek. I headeren af SDS Manager vil du se advarselsikonet, der viser antallet af forældede sikkerhedsdatablader, du har i dit bibliotek. I eksemplet nedenfor har vi 35 forældede sikkerhedsdatablader, der skal opdateres.

The screenshot shows the SDS Manager dashboard. In the top right corner, there are notification icons: a bell with '16', an envelope with '1', and a bell with '10' (highlighted with a red box). The left sidebar contains a menu with items like 'Dashboard', 'All my SDSs', 'My locations', 'Manage SDS Library', 'Global SDS Search', 'SDS compliance', 'All Our SDS', 'SDS where newer version exists' (highlighted with a red box and a '10' badge), 'Hazardous substances', 'Manage QR codes', 'Substitutions', 'Risk assessment', 'Job procedures', 'My job procedures', 'Exposures', and 'Reports'. The main content area has a 'Welcome to SDS Manager!' message and a section titled '4 ways to add Safety Data Sheets to your library'. Below this is a search bar with the text 'Product, Supplier, CAS#, UFI#, EU No.' and a search button. The dashboard also features four summary cards: 'SDS I have access to' (763), 'Locations I have access to' (38/38, 100%), 'Outdated Safety Data Sheets' (10/763, 98%, highlighted with a red box), and 'SDS Approved' (14/740, 1%).

Du kan også [aktivere e-mail-besked](#), som advarer dig via e-mail, når der er nye revisioner i dit bibliotek.

Når du klikker på notifikationsklokken, vil du blive dirigeret til ["Sikkerhedsdatablader hvor nyere"](#)

Sådan holder du vores bibliotek for sikkerhedsdatablade opdateret

[version findes" siden](#), hvor vi vil liste de sikkerhedsdatablader, du har i dit bibliotek, som vi har fundet nyere versioner af.

Klik her for at [åbne SDS Manager for at gennemgå sikkerhedsdatablader hvor nyere version findes \(kræver login\)](#)

Product Name	Product Code	Revision date	Revision date newer version	Locations		
MELMENT F 10		2018-08-20 → 2020-01-15		Lab B	Diff.	Upgrade to new version
Navistar Fleetrite Diesel Exhaust Fluid	FLTFP (2.5 Gal); FLTFQ (55 Gal); FLTFR (275 Gal); FLTFS (330 Gal)	2012-03-26	2018-06-01	Lab E	Diff.	Upgrade to new version

Klik på "Diff." knappen for at se ændringerne side om side mellem det sikkerhedsdatablad, du aktuelt bruger, og den nye version.


Changed values	Current version	New version
		
Emergency telephone		+1 973 245-6000
Health risk	1	4
Safety risk	1	4
Revision date	2018-08-20	2020-01-15
Environment risk	1	4
Section 3: composition/information on ingredients	According to Regulation 2012 OSHA Haz CAS Number 50-00-0 Weight % < 0.1%	According to Regulation 2012 OSHA Haz Formaldehyde CAS Number: 50-00-0 Content (W/W): < 0.1% Synonym: Formaldehyde; Forma
First-aid measures after ingestion	Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

Du kan vælge at opgradere ét sikkerhedsdatablad ad gangen (1) eller opgradere alle sikkerhedsdatablader til den nyeste version i én operation (2).

Auto-pilot

Du kan også aktivere Auto-pilot-funktionen "Opdater automatisk sikkerhedsdatablader til nye versioner". Når denne indstilling er aktiveret, bliver dine sikkerhedsdatablader automatisk opdateret til nye revisioner. Du kan [aktivere e-mail-besked](#) for at sikre, at du bliver underrettet om sådanne opdateringer.


Sådan holder du vores bibliotek for sikkerhedsdatablade opdateret



The screenshot shows the 'SDS where newer version exists' section of the SDS Manager. A sidebar on the left contains navigation icons. The main area features a table with columns: Product Name, Revision date, Revision date newer version, and Locations. Each row has an 'Upgrade to new version' button. A red box highlights the 'Automatically update SDS to new versions' toggle, and a red circle 'B' is next to the 'Upgrade all SDS to the latest version' button. A red circle 'A' is next to one of the 'Upgrade to new version' buttons.

Product Name	Revision date	Revision date newer version	Locations
Acetone	2023-03-21	2023-07-25	Factory Paris
ALTROFIX W139 PART A	2009-02-20	2020-04-22	Building C
ALTROFIX W139 PART A	2009-02-20	2020-04-22	Building A
Bio-Plex Pro Mouse Diabetes Standard	2021-10-29	2023-08-23	Factory Paris

Du kan liste alle sikkerhedsdatablader, der er blevet opdateret, på [Listen over erstattet af nyere version](#)



The screenshot shows the 'Manage SDS Library' section of the SDS Manager. A sidebar on the left contains navigation icons. The main area features a table with columns: Product Name, Supplier Name, Product Code, Revision date, GHS, Locations, Replaced by SDS, and Replaced by. A red box highlights the 'Replaced by newer version' status. A red circle 'A' is next to one of the 'Upgrade to new version' buttons.

Product Name	Supplier Name	Product Code	Revision date	GHS	Locations	Replaced by SDS	Replaced by
DORMEX	AlzChem Trostberg GmbH		2008-06-03	!	Factory Paris	1306835	Erlend Bruvik
TEFLON AF Amorphous Fluoropolymer	Du Pont de Nemours (Nederland) B.V.	130000033504	2007-10-30		4th floor	1306850	Erlend Bruvik

Unique solution ID: #2364

Forfatter: : n/a

Sidste opdatering: 2025-03-03 11:19