

# SDS Inventory Manager in use

## What secondary container label formats are supported?

The following US formats are supported:

The screenshot shows the SDS Inventory Manager interface. On the left, a dropdown menu is open, displaying a list of supported US label formats. The format 'A4 (8.5"x11")' is highlighted with a red box. The list includes: A4 (8.5"x11"), A5 (5.5"x8.5"), A6 (4"x6"), A7 (3"x4"), 2"x4", A8 (2"x3"), A9 (1.5"x2"), 1"x2", and A10 (1"x1.5").

On the right, a preview of a secondary container label is shown. The label is for '3-D Laserscanning Cleaner Spray' by Helling GmbH. It includes a QR code for 'View PDF' and another for 'Track Usage'. The label text is as follows:

**3-D Laserscanning Cleaner Spray**  
Company Name: Helling GmbH  
Signal Word: Danger

**Hazard Statements**  
H222: Extremely flammable aerosol;  
H229: Pressurized container: may burst if heated;  
H319: Causes serious eye irritation;  
H336: May cause drowsiness or dizziness

**Precautionary Statements**  
P102: Keep out of reach of children;  
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking;  
P211: Do not spray on an open flame or other ignition source;  
P251: Do not pierce or burn, even after use;  
P271: Use only outdoors or in a well-ventilated area;  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing;  
P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

The label also features hazard pictograms for flammable aerosol, pressurized gas, and eye irritation, along with precautionary pictograms for keeping away from heat, no smoking, and eye protection.

**Ingredients:**

EC/CAS	Chemical Name	Concentration
200-661-7/67-63-0	Isopropanol	70 - 80 %
200-661-7/106-97-8	Butane	15 - 20 %
203-448-7/74-98-6	Propane	6 - 10 %

**Supplier Name:** Helling GmbH

Emergency Contact: Poison Control Center  
Emergency Telephone: 800-222-1222

When smaller formats are chosen, less information is displayed on the label due to the size constraints. Below is an example of a 2" label that can be printed on a Dymo sticker printer.

# SDS Inventory Manager in use

Print format

2"x4" ▲

A4 (8.5"x11")

A5 (5.5"x8.5")

A6 (4"x6")

A7 (3"x4")

2"x4"

A8 (2"x3")

A9 (1.5"x2")

1"x2"

A10 (1"x1.5")

Hazard statements

Use standard statement description ●

1 / 1 | — 100% + | □ ↺

**3-D Laserscanning Cleaner Spray**  
Company Name: Helling GmbH  
Signal Word: Danger

View PDF Track Usage

Hazard Statements + Precautionary Statements:

H222; H229; H319; H336; P102; P210; P211; P251; P271; P305+P351+P338; P410+P412;

☠️ ⚠️ 🧤 🔥  
🧴 🚫🔥 🚫📄 🧴

The following metric formats are supported:

# SDS Inventory Manager in use

Print format

A4 (297x210mm)▲

A4 (297x210mm)

A5 (148x210mm)

A6 (105x148mm)

A7 (105x74mm)

52x105mm

50x105mm

A8 (52x74mm)

50x74mm

A9 (37x52mm)

26x52mm

A10 (26x37mm)

Unique solution ID: #1054  
Author: n/a  
Last update: 2024-10-04 11:43