

SDS Inventory Manager in use

How do I get alerted about new revisions of SDS and how do I upgrade to the latest version?

New revisions of SDSs are issued every 1 to 3 years.

New revisions are issued because of new regulatory requirements, corrections or new discoveries by the suppliers. Users of chemicals are required to have the latest version of the SDS in their library.

SDS Manager are continuously crawling thousands of supplier websites for new revisions of safety data sheets and add them to our database.

When you use SDS manager, you will be alerted when we find new versions of SDSs in your library. In the header bar of SDS Manager, you will see the alert icon showing the number of outdated SDSs you have in your library. In the example below, we have 35 outdated SDSs that need to be updated.

The screenshot shows the SDS Manager dashboard. In the top right corner, there is a notification bell icon with a red circle containing the number '10'. In the left sidebar, the menu item 'SDS where newer version exists' is highlighted with a red box and a red circle containing the number '10'. The main content area shows a 'Welcome to SDS Manager!' message, a search bar, and several summary cards. The 'Outdated Safety Data Sheets' card is highlighted with a red box, showing '10/763' outdated sheets with a 98% progress indicator. The 'SDS I have access to' card shows '763' SDSs. The 'Locations I have access to' card shows '38/38' locations with a 100% progress indicator. The 'SDS Approved' card shows '14/740' approved sheets with a 1% progress indicator.

You can also [enable email-notification](#) that alert you via email when there are new revisions in your library.

When you click on the notification bell, you will be directed to ["SDS where newer version exists" page](#) where we will list SDSs you have in your library for which we found newer versions.

Click here to [open SDS Manager to review SDS where newer version exists \(require login\)](#)

SDS Inventory Manager in use

Product Name	Product Code	Revision date	Revision date newer version	Locations	
MELMENT F 10		2018-08-20 → 2020-01-15		Lab B	<button>Diff.</button> <button>Upgrade to new version</button>
Navistar Fleetrite Diesel Exhaust Fluid	FLTFP (2.5 Gal); FLTQ (55 Gal); FLTFR (275 Gal); FLTFS (330 Gal)	2012-03-26	2018-06-01	Lab E	<button>Diff.</button> <button>Upgrade to new version</button>

Click on the "Diff." button to see side-by-side changes between the SDS you are currently using and the new version.

Changed values	Current version	New version
Emergency telephone		+1 973 245-6000
Health risk	1	4
Safety risk	1	4
Revision date	2018-08-20	2020-01-15
Environment risk	1	4
Section 3: composition/information on ingredients	<p>According to Regulation 2012 OSHA Haz</p> <p>CAS Number 50-00-0</p> <p>Weight % < 0.1%</p>	<p>According to Regulation 2012 OSHA Haz</p> <p>Formaldehyde</p> <p>CAS Number: 50-00-0</p> <p>Content (W/W): < 0.1%</p> <p>Synonym: Formaldehyde; Forma</p>
First-aid measures after ingestion	Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

You can choose to upgrade one SDS at a time (1) or upgrade all SDSs to the latest version in one operation (2).

Auto-pilot

You can also enable the Auto-pilot- feature "Automatically update SDS to new versions". When this setting is enabled your SDS are automatically updated to new revisions. You can [activate the email notification](#) to ensure that you get notified about such updates.

<

You can list all SDS that has been updated on the [Replaced by newer version](#) list

SDS Inventory Manager in use

Dashboard

All my SDSs

My locations

Manage SDS Library

Factory Miami (41)

Building A (11)

Building B (2)

Demo location (2)

Factory Miami (41)

Factory Paris (67)

Add location

Import status

SDS requests

Archive

Search SDS in use and global database

Archived locations

Archived SDSs

Replaced by newer version

Archived SDS Requests

Locations status

Active locations

Location Filter

	Product Name	Supplier Name	Product Code	Revision date	GHS	Locations	Replaced by SDS	Replaced by
<input type="checkbox"/>	DORMEX	AlzChem Trostberg GmbH		2008-06-03		Factory Paris	1306835	Erlend Bruvik
<input type="checkbox"/>	TEFLON AF Amorphous Fluoropolymer	Du Pont de Nemours (Nederland) B.V	130000033504	2007-10-30		4th floor	1306850	Erlend Bruvik

Rows per page 10 1-2 of 2

Unique solution ID: #1090
Author: n/a
Last update: 2024-08-31 14:32