

Miks ja kuidas hallata ohutuskaartide teeki?


Mis on Materjalide ohutusandmete lehtede kaust?

Varem ohutusandmete lehtede kaustaks nimetatud asi on nüüd tavaliselt nimetatud ohutusandmete lehtede kaustaks, kuna mõiste ohutusandmete leht on asendatud mõistega ohutusandmete leht.

Seda nimetatakse ohutusandmete lehtede kaustaks, kuna see on kõigi ohutusandmete lehtede paberprint, mis on sisestatud kausta.

Kui kasutate SDS Manager, saate luua ohutusandmete lehtede kausta faili, mis sisaldab kõiki ohutusandmete lehti asukoha jaoks, valides "Loo ohutusandmete lehtede kaust" nagu on näidatud alloleval pildil.

Enne 2019. aastat oli nõue, et ohutusandmete lehed tuleb printida paberil. Nüüd on lubatud juurdepääs ohutusandmete lehtedele veebis.



Allpool on näide ohutusandmete lehtede kausta sisukorrast, mis on loodud kasutades SDS Manager.

Ohutusandmete lehtede kausta faili sisukord loetleb kõik kaustas olevad ohutusandmete lehed, sealhulgas signaal sõna, piktogramm ja isikukaitsevahendi ikoonid, mis on leitud ohutusandmete lehtedest. Ohutusandmete lehe juurde pääsemiseks avab kasutaja lihtsalt ohutusandmete lehtede kausta PDF-faili PDF-lugejas ja klõpsab lehekülje numbril nagu on näidatud alloleval pildil.

Miks ja kuidas hallata ohutuskaartide teeki?

Binder: Test Corporation Inc.

#	Product Name	Signal Word	Pictograms & Controls	Page
1	Clorox Cream Cleaner	Warning		3
2	Clorox Disinfecting Bleach	Danger	 	18
3	IPA	Fare	     	25
4	Isopropanol	Fare	 	31
5	KOLORSAFE DRY BASE NEUTRALIZER	Warning		44
6	Oxygen (0.0015-19.49%), Methane (0.0005-2.5%), Carbon Monoxide (0.001-0.09%), Hydrogen	Warning	 	63
7	Piccolo Reagent D	Danger		75
8	UNISSET 621-PART 2		  	82

A click on the page number will move binder to the Safety Data Sheet

PDF-lugeja liigutab teid sellele leheküljele, millele klõpsasite (näites 82), kus ohutusandmete leht asub ohutusandmete lehtede kausta failis.

Miks ja kuidas hallata ohutuskaartide teeki?



UNISET 621-PART 2

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Date of Issue: 5/14/2015 Revision date: 4/22/2022 Version: 1.4

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : UNISET 621-PART 2
Product code : 94080
Other means of identification : Polymeric MDI in Aromatic Solvent

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Urethane No-Bake Binder, Part 2

1.3. Supplier

United Erie - Division of Alpent II, Inc.
1432 Chestnut Street
Erie, PA, United States, 16502
United States
T 1-800-377-7561 - F 1-814-454-8996
herm-eh&s@interstatechemical.com - www.unitederie.com

1.4. Emergency telephone number

Emergency number : For 24-Hour Emergency Information Call Chemtrec: +1 (800) 424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4	H227	Combustible liquid
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2A	H319	Causes serious eye irritation
Respiratory sensitization, Category 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Cardiogenicity Category 2	H351	Suspected of causing cancer
Specific target organ toxicity (single exposure) Category 3	H335	May cause respiratory irritation
Specific target organ toxicity (repeated exposure) Category 2	H373	May cause damage to organs through prolonged or repeated exposure

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS-US)



Signal word (GHS-US)

: Danger

Hazard statements (GHS-US)

: H227 - Combustible liquid
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

4/22/2022 (Revision date)

EN (English US)

1/12

Klõpsake allolevat linki ja proovige ise.

Miks ja kuidas hallata ohutuskaartide teeki?

Ainulaadne lahenduse ID: #2587

Autor: : n/a

Viimane uuendus: 2025-03-06 11:27