



Utilisation quotidienne

Comment nos employés peuvent-ils trouver la Fiche de Données de Sécurité d'un produit chimique?

Si la Fiche de Données de Sécurité a déjà été ajoutée à la bibliothèque de Fiches de Données de Sécurité de votre organisation, vos employés peuvent facilement et rapidement trouver la fiche dans la barre de recherche depuis le tableau de bord.



Où vous pouvez également trouver la barre de recherche sur la page « Toutes mes Fiches de Données de Sécurité » :



Alternativement, les employés peuvent scanner les codes QR sur les étiquettes des conteneurs secondaires.

Utilisation quotidienne

CRC Hardener for Polyester Filler

Company Name: CRC Industries

Signal Word: Danger



View PDF



Track Usage

Hazard Statements

H242: Heating may cause a fire;

H317: May cause an allergic skin reaction;

H319: Causes serious eye irritation;

H360: May damage fertility or the unborn child (state specific effect if known)(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard);

H373: May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard);

H410: Very toxic to aquatic life with long lasting effects

Precautionary Statements

P201: Obtain special instructions before use.;

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.;

P234: Keep only in original packaging.;

P235: Keep cool.;

P302+P352: IF ON SKIN: Wash with plenty of water/...;

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.;

P308+P313: IF exposed or concerned: Get medical advice/ attention.;

P370+P378: In case of fire: Use ... to extinguish.;

P403: Store in a well-ventilated place.;

P405: Store locked up.;

P410: Protect from sunlight.;

P411: Store at temperatures not exceeding ...°C/...°F.;

P501: Dispose of contents/container to ...



Les étiquettes comportent un code QR pour un accès facile au fichier de la Fiche de Données de Sécurité (1) et pour enregistrer l'arrivée de nouveaux matériaux, leur utilisation ou leur élimination (2).

Nous recommandons d'afficher des codes QR pour accéder à votre bibliothèque de Fiches de Données de Sécurité. Cela garantit que les employés ont toujours un accès facile aux fiches et évite les problèmes liés aux utilisateurs qui ne se souviennent pas de leur mot de passe, etc.

Veuillez scanner le code QR ci-dessous avec votre téléphone mobile pour voir ce que vos employés verront lorsqu'ils accéderont à la bibliothèque de Fiches de Données de Sécurité via un code QR.

Utilisation quotidienne



En général, nos clients affichent un code QR sur le mur où les employés utilisent des produits chimiques pour s'assurer qu'ils savent comment accéder aux Fiches de Données de Sécurité.

Avec SDS Manager, vous pouvez également avoir un lien sur votre intranet pour ouvrir directement la bibliothèque de Fiches de Données de Sécurité et faciliter l'accès.

Référence ID de l'article : #1742

Auteur : n/a

Dernière mise à jour : 2024-11-25 05:50