

# Dagelijks gebruik

## Hoe kan ik Veiligheidsinformatiebladen van de ene locatie naar de andere verplaatsen of kopiëren?

Vanuit [Locatiebeheer \(inloggen vereist\)](#) en vanuit [Al mijn Veiligheidsinformatiebladen pagina \(inloggen vereist\)](#) kunt u een Veiligheidsinformatieblad van de ene locatie of site naar de andere verplaatsen met de optie "Verplaats Veiligheidsinformatieblad" in het meer-menu.

**All my SDSs – where your employees find SDS for products they are using.**

When your employees scan your [QR code poster](#) or click on your [SDS library on your intranet](#) this page will open.

The page is fully mobile friendly and give one click access to First Aid, Fire and Accidental release-information.

For administration of your SDS library you should use the [Manage SDS Library](#).

Filter by Product name, Supplier, CAS# or UFI#

| Product Name ↑      | Supplier Name                 | Location | Signal word | Pictograms & Controls | Substance hazard | Actions |
|---------------------|-------------------------------|----------|-------------|-----------------------|------------------|---------|
|                     |                               |          |             |                       | H S E            |         |
| 1,2-Dimethoxyethane | Merck Life Science UK Limited | Test 31  | Danger      |                       | H5 S5 E1         |         |
| 1,2-Dimethoxyethane | Fisher Scientific UK          | Test 31  | Danger      |                       | H5 S5            |         |
| 1,2-Dimethoxyethane | Sigma-Aldrich Inc             | Test 31  | Danger      |                       | H5 S3            |         |
| 1,2-Dimethoxyethane | TCI AMERICA                   | Test 31  | Danger!     |                       | H4 S1            |         |

Vanuit de [Al onze Veiligheidsinformatiebladen pagina \(inloggen vereist\)](#) op het tabblad "Veiligheidsinformatieblad Naleving", kunt u meerdere Veiligheidsinformatiebladen selecteren en deze in bulk verplaatsen of kopiëren in één operatie.

**All Our SDS**

Search for SDS

Filter by CAS# in components

All Locations

Export to XLSX

SDS status: Only list SDS in use

Approval Status: All

Supplier

Revision date

Risk assessment: All

Hazard statements

GHS pictograms

Language: All

Updated By

External System Id Presence: All

Amount stored

| Product Name                                                                              | Supplier Name                          | Product Code      | Revision date | GHS | Substance hazard | Last evaluated         | Locations                      | Actions |
|-------------------------------------------------------------------------------------------|----------------------------------------|-------------------|---------------|-----|------------------|------------------------|--------------------------------|---------|
|                                                                                           |                                        |                   |               |     | H S E            |                        |                                |         |
| <input checked="" type="checkbox"/> Acid Starch Indicator Powder                          | Taylor Technologies, Inc               | R-0725; R-0725-PL | 2015-04-26    |     | H3 S1 E1         | Need approval          | <a href="#">View locations</a> |         |
| <input checked="" type="checkbox"/> ACRYLIC PU TOPCOAT NON YELLOWING TRANSPARENT,50 GLOSS | SAYERLACK, a brand of Sherwin-Williams | TZ7050/00         | 2024-05-15    |     | H5 S2 E5         | Risk must be evaluated | <a href="#">View locations</a> |         |
| <input checked="" type="checkbox"/> Barium Chloride Solution 20%                          | Taylor Technologies, Inc               | R-0711; R-0711-PL | 2019-07-01    |     | H4 S1 E5         | Risk must be evaluated | <a href="#">View locations</a> |         |
| <input checked="" type="checkbox"/> Bio-Scale Mini Bio-Gel P-6 Desalting Cartridge        | Bio-Rad Laboratories Inc.              |                   | 2023-12-05    |     | H1 S1 E1         | Risk must be evaluated | <a href="#">View locations</a> |         |

Unieke FAQ ID: #2060

Auteur: n/a

# Dagelijks gebruik

Laatst bijgewerkt: 2025-02-26 10:56